	Type	#	Hits	Search Text	DBs	Time Stamp	Comment	Error Defini tion	Errors
	BRS	L14	5517	(amplitude\$2 or magnitude) same (input or supply) and strob\$5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:44 T; IBM_TD			0
	BRS	L15	3993	(program\$4 or processor or microprocessor or microcomputer or microchip or microcontroller or memory) and 14	USPAT	2002/06/12 18:51			0
=	BRS	L16	4236	(program\$4 or processor or microprocessor or microcomputer or microchip or microcontroller or memory) and 14	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:51 IBM_TD IBM_TD			0
	BRS	117	4	candel\$5 and 16	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/06, 18:52			0

	Туре	# #	Hits	Search Text	DBs	Time Stamp	Comment	Error Defini tion	Errors
11	BRS	L24	979	(capacitor or capacitive or capacitance\$1 or condenser) same (charg\$4 or recharg\$4) and 23	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/06/12 18:59			0
12	BRS	L25	285	duty and 24	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:59 I; IBM_TD			0
13	BRS	L26	8 8 8	(duty or PWM or (pulse\$1 ajd2 modulat\$5)) and 24	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	2002/06/12 19:00			0

Errors	0	0	0
Error Defini tion			
Comment s			
Time Stamp	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:47 T; IBM_TD B	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:49 I; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:50 I; IBM_TD
DBs	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD
Search Text	(amplitude\$2 or magnitude\$2) same (variation\$1 or varied or vary or varies or varying or chang\$4 or alter\$4 or tuning or select\$4) and 14	(amplitude\$2 or magnitude\$2) same (variation\$1 or varied or vary or varies or varying or variable or setting or pick\$4 or knob or chang\$4 or alter\$4 or tuning or select\$4) and 14	(amplitude\$2 or magnitude\$2) same (variation\$1 or varied or vary or varies or varying or variable or setting or pick\$4 or knob or chang\$4 or tuning or select\$4) and 14
Hits	3724	3918	3892
T #	L18	L19	L20
Type	BRS	BRS	BRS

L # Hi	Hi	Hits	Search Text	DBs	Time Stamp	Comment s	Error Defini tion	Errors
(K 121 3052 m3 03	3052 m3		(program\$4 or processor or microprocessor or microcomputer or microchip or microcontroller or memory) and 20	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:56 IBM_TD IBM_TD			0
L22 4 ca		o O	candel\$5 and 21	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:52 I; IBM_TD			0
(p. mi(L23 3057 mic or mer	057	(p. mic nic or mer	(program\$4 or processor or unicroprocessor or microcomputer or microchip or microcontroller or memory or cpu) and 20	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 18:57 IS' IBM_TD			0

	Туре	Type L #	Hits	Search Text	DBs	Time Stamp	Comment	Error Defini tion	Error Defini Errors tion
14	14 BRS	L27	326	(duty or PWM or (pulse\$1 adj2 modulat\$5)) and 24	USPAT; US, EPO; JPO; DERWEN T; IBM_TD	USPAT; US-PGP UB; EPO; JPO; DERWEN 19:08 T; IBM_TD			0